

AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

LISTING OF CLAIMS:

1. (Currently amended) A computer system for configuring a representation of data objects in a reporting system, comprising:

a set of at least two data objects; and

a selection tool, communicating with the set of at least two data objects, the selection tool being operable to select at least two of the at least two data objects to define an editable relationship between the at least two data objects in the reporting system; and

wherein the relationship defines a direction of one object to another and the direction of the object with respect to the other object differs from the directional relationship of those objects in the database where those data objects reside.

2. (Currently amended) The computer system of claim 1, wherein the relationship comprises a network graph.

3. (Currently amended) The computer system of claim 2, wherein the network graph comprises a directed graph.

4. (Canceled)

5. (Currently amended) A computer system for configuring a representation of data objects in a reporting system, comprising:

a set of at least two data objects; and

a selection tool, communicating with the set of at least two data objects, the selection tool being operable to select at least two of the at least two data objects to define an editable

relationship between the at least two data objects in the reporting system ~~The system of claim 1,~~  
wherein the relationship defines an ordering of one object with respect to another and the  
ordering in the editable relationship differs from the ordering of the two objects in the database  
where those data objects reside.

6. (Currently amended) The computer system of claim 1, wherein the editable  
relationship establishes relationships between at least one object that is not related to the  
database where other data objects reside.

7. (Currently amended) The computer system of claim 6, wherein the at least one  
object not related to the database is derived from an object in the database.

8. (Currently amended) The computer system of claim 1, wherein the editable  
relationship may skip objects that otherwise exist in the relationship of objects in the database.

9. (Currently amended) The computer system of claim 3, wherein the selection tool  
is operable to designate at least one of the set of at least two data objects as an entry point.

10. (Currently amended) The computer system of claim 2, wherein the network  
graph is traversable.

11. (Currently amended) The computer system of claim 1, wherein the set of at least  
two data objects corresponds to data stored in at least one data source.

12. (Currently amended) The computer system of claim 11, wherein the at least one  
data source comprises at least one database.

13. (Currently amended) The computer system of claim 7, further comprising a  
request engine, the request engine translating requests based on the relationship into requests for  
access to the at least one database.

14. (Currently amended) The computer system of claim 13, wherein the requests generate results from the at least one database, and the request engine presents the results in the representation.

15. (Currently amended) The computer system of claim 1, wherein the selection tool comprises a graphical user interface.

16. (Currently amended) The computer system of claim 1, wherein the set of at least two data objects is associated with an OLAP-compliant database.

17. (Currently amended) The computer system of claim 1, wherein the relationship is extensible.

18. (Currently amended) The computer system of claim 1, further comprising at least one of a relationship table, a binary tree and a linked list, storing a representation of the relationship.

19. (Currently amended) The computer system of claim 1, wherein at least one of the at least two data objects comprises an associated security attribute.

20. (Currently amended) The computer system of claim 19, wherein the associated security attribute restricts access to the at least one data object according to predetermined criteria.

21. (Currently amended) The computer system of claim 11 wherein a plurality of representations may be generated from the at least one data source.

22. (Currently amended) A computer-implemented method for configuring a representation of data objects in a reporting system, comprising:

a) accessing a set of at least two data objects; and

b) enabling a user to perform the act of selecting at least two of the set of at least two data objects to define an editable relationship between the at least two data objects in the reporting system;

wherein the relationship defines a direction of one object to another and the direction of the object with respect to the other object differs from the directional relationship of those objects in the database where those data objects reside.

23. (Currently amended) The computer-implemented method of claim 22, wherein the relationship comprises a network graph.

24. (Currently amended) The computer-implemented method of claim 23, wherein the network graph comprises a directed graph.

25. (Currently amended) The computer-implemented method of claim 22, further comprising a step of c) designating at least one of the set of at least two data objects as an entry point.

26. (Currently amended) The computer-implemented method of claim 23, wherein the network graph is traversable.

27. (Currently amended) The computer-implemented method of claim 22, wherein the set of at least two data objects corresponds to data stored in at least one data source.

28. (Currently amended) The computer-implemented method of claim 27, wherein the at least one data source comprises at least one database.

29. (Canceled)

30. (Currently amended) A computer-implemented method for configuring a representation of data objects in a reporting system, comprising:

a) accessing a set of at least two data objects; and

b) enabling a user to perform the act of selecting at least two of the set of at least two data objects to define an editable relationship between the at least two data objects in the reporting system ~~The method of claim 22~~, wherein the relationship defines an ordering of one object with respect to another and the ordering in the editable relationship differs from the ordering of the two objects in the database where those data objects reside.

31. (Currently amended) The computer-implemented method of claim 22, wherein the editable relationship establishes relationships between at least one object that is not related to the database where other data objects reside.

32. (Currently amended) The computer-implemented method of claim 31, wherein the at least one object not related to the database is derived from an object in the database.

33. (Currently amended) The computer-implemented method of claim 22, wherein the editable relationship may skip objects that otherwise exist in the relationship of objects in the database.

34. (Currently amended) The computer-implemented method of claim 27, further comprising a step of d) translating requests based on the relationship into requests for access to the at least one database.

35. (Currently amended) The computer-implemented method of claim 34, further comprising a step of e) generating results from the at least one database based on the requests, and f) presenting the results in the representation.

36. (Currently amended) The computer-implemented method of claim 22, wherein the selection tool comprises a graphical user interface.

37. (Currently amended) The computer-implemented method of claim 22, wherein the set of at least two data objects is associated with an OLAP-compliant database.

38. (Currently amended) The computer-implemented method of claim 22, wherein the relationship is extensible.

39. (Currently amended) The computer-implemented method of claim 22, further comprising a step of f) storing the representation of the relationship in at least one of a relationship table, a binary tree and a linked list.

40. (Currently amended) The computer-implemented method of claim 22, wherein at least one of the at least two data objects comprises an associated security attribute.

41. (Currently amended) The computer-implemented method of claim 40, further comprising a step of g) restricting access to the at least one data object based on the security attribute according to predetermined criteria.

42. (Currently amended) The computer-implemented method of claim 27, further comprising a step of h) generating a plurality of representations based on the at least one data source.

43. (Currently amended) A machine readable medium, the machine readable medium being readable to execute a method for configuring a representation of data objects in a reporting system, the machine readable medium ~~method~~-comprising:

a) code for causing a computer-based machine to perform the act of accessing a set of at least two data objects; and

b) code for causing a computer-based machine to perform the act of enabling a user to perform the act of selecting at least two of the set of at least two data objects to define an editable relationship between the at least two data objects in the reporting system; wherein the relationship defines a direction of one object to another and the direction of the object with

respect to the other object differs from the directional relationship of those objects in the database where those data objects reside.

44. (Currently amended) The medium of claim 43 ~~claim 33~~, wherein the set of at least two data objects corresponds to data stored in at least one data source.

45. (Currently amended) The medium of claim 44 ~~claim 34~~, wherein the at least one data source comprises at least one database.

46. (Currently amended) The medium of claim 45 ~~claim 35~~, ~~the method~~ further comprising code for causing a computer-based machine to perform the act of ~~a step of c)~~ translating requests based on the relationship into requests for access to the at least one database.

--47. (New) A machine readable medium, the machine readable medium being readable to execute a method for configuring a representation of data objects in a reporting system, the machine readable medium comprising:

code for causing a computer-based machine to perform the act of accessing a set of at least two data objects;

code for causing a computer-based machine to perform the act of enabling a user to perform the act of selecting at least two of the set of at least two data objects to define an editable relationship between the at least two data objects in the reporting system; and

wherein the relationship defines an ordering of one object with respect to another and the ordering in the editable relationship differs from the ordering of the two objects in the database where those data objects reside.--